

Material Safety Data Sheet

1. Gemini® Fluoro Surfactant BH-16W

HUNAN WEISS BONYA CO. , LTD

Add:No.10,Wangchengpo,Yuelu district,Changsha,Hunan,China

Email: weissbonya@gmail.com

Web:http://www.weissbonya.com

Emergency phone No. 24 hours :+ 86-731-84225539

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration %
Partially fluorinated alcohol, reaction products with phosphorus oxide(P2O5), ammonium salts	67479-86-1	38-42
Isopropyl alcohol	67-63-0	13-17
Water	7732-18-5	42-48

3. HAZARDS IDENTIFICATION

Emergency Overview

Inhalation of vapor or mist may cause nasal,throat or long irritation. Inhalation of large amounts of respirable particles maybe toxic to the lungs. Symptoms maybe modest initially, follow in hours by severe shortness of breath requiring prompt medical attention. Repeated or prolonged inhalation exposure may cause central nervous system depression with dizziness,confusion,incoodination,drowsiness or unconsciousness. Gross overexposure may cause fatality.

Potential Health Effects

Skin : May cause: slight irritation, Redness.

Eyes : May cause eye irritation. Discomfort, tearing, Blurred vision.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

4. FIRST AID MEASURES

First Aid

INGESTION

Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

INHALATION

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

SKIN CONTACT

In case of contact, wash with water and soap as a precaution.

EYE CONTACT

In case of contact, rinse with plenty of water. If eye irritation persists, consult a specialist.

General advice, when symptoms persist or in all cases of doubt seek medical advice.

5. FIRE FIGHTING MEASURES

Flash point

None

Thermal decomposition

200 °C (392 °F)

Extinguishing Media

The product itself does not burn.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire Fighting Instructions

Wear self-contained breathing apparatus (SCBA). Wear suitable protective equipment.

Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Spill Clean Up

Shovel into suitable container for disposal.

Accidental Release Measures

Prevent material from entering sewers, waterways, or low areas.

7. HANDLING AND STORAGE

Handling (Personnel)

Avoid breathing vapors or mist from overheated material. Avoid contact with eyes, skins, clothing. Wash thoroughly after handling. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Avoid circumstances that produce respirable particles unless suitable ventilation and respirator are used.

Storage

Store in well ventilated place. Keep container closed to prevent contamination. Freezing will affect physical condition but will not damage.

Thaw and mix before using, keep away from open flames and heated surfaces above 200 deg C (392 deg F).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In the event that the polymer is heated above 200° C (392° F), local ventilation should be used to avoid exposure to fumes.

Personal protective equipment

Respiratory: No personal respiratory protective equipment normally required. In the case of hazardous fumes caused by overheating, wear self-contained breathing apparatus.

Hand: Additional protection: No particular glove type is recommended, but nitrile may used.

Eyes: Chemical safety goggles.

Skin and body protection : No PPE is specified however, avoid contact with skin, eyes, and clothing. Preventive skin protection.

Applicable exposure limits

Isopropyl alcohol

PEL(OSHA): 400ppm, 980mg/m³, 8h.TWA.

TLV(ACGIH): 200ppm, 8h.TWA.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid at 20 °C(68 °F)

Color : amber or brown

Odor : alcohol like

pH : 6~8

Specific gravity : 1.02 at 24 °C (75 °F)
Water solubility : soluble

10. STABILITY AND REACTIVITY

Stability

Stable: stable under recommended storage conditions.

Conditions to avoid

Decomposition temperature 200 °C (392°F)

Polymerization

Polymerization will no occur.

11. TOXICOLOGICAL INFORMATION

Gemini® Fluoro Surfactant BH-16W

Inhalation 4h, ALC : 0.047mg/l, rat

Skin LD50 : > 5,000 mg/kg , rat

Oral LD50 : > 5,000 mg/kg , rat

Skin irritation : slight irritation, rabbit

Eye irritation : slight irritation, rabbit

Sensitisation : Animal test did not cause sensitization by skin contact, guinea pig

Partially fluorinated alcohol, reaction products with phosphorus oxide(P2O5), ammonium salts

Further information : The substance is a polymer and is not expected to produce toxic effects.

Isopropyl alcohol

Inhalation,4h,LC50 : 73mg/l rat

Skin,LD50 : 12,870mg/kg rabbit

Further information : The substance is not expected to produce toxic effects.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity

96 hrs, LC50 : >120mg/l fathead minnow

72 hrs, ErC50 : >120mg/l green algae

48 hrs, EC50 : 16.2mg/l water flea

Isopropyl alcohol

96 hrs, LC50 : 9,640mg/l killifish

72 hrs, EC50 : >1000mg/l green algae
48 hrs, EC50 : 13,299mg/l water flea

13. DISPOSAL CONSIDERATIONS

Waste Disposal

In accordance with local and national regulations.

Environmental Hazards

Dispose of container properly.

If recycling is not practicable, dispose of in compliance with local regulations.

14. TRANSPORTATION INFORMATION

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

NOT classified as dangerous in the meaning of transport regulations

15. REGULATORY INFORMATION

EPCRA: Emergency Planning and Community Right-to-Know

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does NOT contain any components with a section 304 EHS RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does NOT contain any components with a section 302 EHS TPQ

SARA 311/312 Hazards: NO SARA Hazards

SARA 313 Regulated Chemical(s): This material does NOT contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

CERCLA Reportable Quantity : This material does NOT contain any components with a CERCLA RQ



Updated: May 26th, 2017