

Weiss Bonya

Gemini[®] PFPE Greases

Material Safety Data Sheet

1. Gemini[®] PFPE GREASE

MC-2P4、MC -2P5、MC -2P6、MC -2P7

UHT-ACP、UHT-ACXP、UHT-ACZP

HUNAN WEISS BONYA CO. , LTD

Add:No.10,Wangchengpo,Yuelu district,Changsha,Hunan,China

Email: weissbonya@gmail.com

Web:http://www.weissbonya.com

Emergency phone No. 24 hours :+ 86-731-84225539

2. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Perfluoropolyether	60164-51-4	70-85%
PTFE	9002-84-0	10-25%
High pressure additive		1-10%
Sodium nitrite	7632-00-0	1-5%

3. HAZARDS IDENTIFICATION

Emergency Overview

The thermal decomposition vapours of fluorinated polymers may cause polymer fume fever with flu-like symptoms in humans, especially when smoking contaminated tobacco. Repeated episodes of polymer fume fever may result in persistent lung effects.

Potential Health Effects

Skin : May cause: slight irritation, Redness.

Eyes : May cause eye irritation. Discomfort, tearing, Blurred vision.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

4. FIRST AID MEASURES

First Aid

INGESTION

Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center.

INHALATION

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

SKIN CONTACT

In case of contact, wash with water and soap as a precaution.

EYE CONTACT

In case of contact, rinse with plenty of water. If eye irritation persists, consult a specialist.

General advice, when symptoms persist or in all cases of doubt seek medical advice.

5. FIRE FIGHTING MEASURES

Flash point

None

Thermal decomposition

300 °C (572 °F)

Extinguishing Media

The product itself does not burn.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire Fighting Instructions

Wear self-contained breathing apparatus (SCBA). Wear suitable protective equipment.

Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Spill Clean Up

Shovel into suitable container for disposal.

Accidental Release Measures

Prevent material from entering sewers, waterways, or low areas.

7. HANDLING AND STORAGE

Handling (Personnel)

Avoid breathing vapors from overheated material. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material.

General industrial hygiene practice.

Storage

No special storage conditions required. Keep container closed to prevent contamination.

No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls

In the event that the polymer is heated above 260° C (500° F), local ventilation should be used to avoid exposure to fumes.

Personal protective equipment

Respiratory: No personal respiratory protective equipment normally required. In the case of hazardous fumes caused by overheating, wear self-contained breathing apparatus.

Hand: Additional protection: No particular glove type is recommended, but nitrile may be used.

Eyes: Chemical safety goggles.

Skin and body protection : No PPE is specified however, avoid contact with skin, eyes, and clothing. Preventive skin protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : grease fat

Color : white

Odor : none

pH : neutral

Melting point/range : 320 °C (608 °F)

Specific gravity : 1.89 - 1.93 at 24 °C (75 °F)

Water solubility : insoluble

10. STABILITY AND REACTIVITY

Stability

Stable: stable under recommended storage conditions.

Conditions to avoid

Decomposition temperature 260 °C (500°F)

Hazardous decomposition products

Hazardous thermal decomposition products: Fluorinated compounds.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity : Not classified based on available information

Skin irritation : slight irritation, rabbit

Eye irritation : slight irritation, rabbit

Sensitisation : Animal test did not cause sensitization by skin contact, guinea pig

Perfluoropolyether

Inhalation 4 hrs ALC - Approximate Lethal Concentration : ca. > 19.54 mg/l , rat

Mutagenicity : Did not cause genetic damage in cultured bacterial cells.

Further information : The substance is a polymer and is not expected to produce toxic effects.

PTFE

Further information : The substance is a polymer and is not expected to produce toxic effects.

High pressure additive

Oral, LD50 : > 2,000 mg/kg , rabbit

The substance is not expected to produce toxic effects.

Sodium nitrite

Inhalation 4 hrs, Dust, LC50 : 1.45 mg/l , rat

Mutagenicity : Experiments showed mutagenic effects in cultured bacterial cells.

Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.

Genetic damage in animals was observed in some laboratory tests but not in others.

Teratogenicity : Animal testing showed effects on embryo-foetal development at levels below those causing maternal toxicity.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Perfluoropolyether

96 hrs LC50 : Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l ,The substance is a polymer and is not expected to produce toxic effects.

48 hrs EC50 : Daphnia magna (Water flea) > 1,000 mg/l

PTFE

The substance is a polymer and is not expected to produce toxic effects.

High pressure additive

The substance is not expected to produce ecological effects based on available information.

Sodium nitrite

96 hrs LC50 : Oncorhynchus mykiss (rainbow trout) 0.54 mg/l

72 hrs ErC50 : Desmodesmus subspicatus (green algae) > 100 mg/l

72 hrs NOEC : Desmodesmus subspicatus (green algae) 100 mg/l

48 hrs EC50 : Daphnia magna (Water flea) 15.4 mg/l

29 days NOEC Cyprinus carpio (Carp) 21 mg/l

13. DISPOSAL CONSIDERATIONS

Waste Disposal

In accordance with local and national regulations.

Environmental Hazards

Dispose of container properly.

If recycling is not practicable, dispose of in compliance with local regulations.

14. TRANSPORTATION INFORMATION

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

NOT classified as dangerous in the meaning of transport regulations

15. REGULATORY INFORMATION

EPCRA: Emergency Planning and Community Right-to-Know

TSCA : On the inventory, or in compliance with the inventory

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does NOT contain any components with a section 304 EHS RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does NOT contain any components with a section 302 EHS TPQ

SARA 311/312 Hazards: NO SARA Hazards

SARA 313 Regulated Chemical(s): Sodium nitrite

CERCLA Reportable Quantity : 2,000 lbs , Based on the percentage composition of this chemical in the product.:Sodium nitrite



Updated: May 26th, 2017